


**Amendments to the Claims:**


This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Original) A medicament for enhancing an effect of a cancer therapy based on a mode of action of DNA injury, which comprises as an active ingredient a substance selected from the group consisting of a compound represented by the following general formula (I) and a pharmacologically acceptable salt thereof, and a hydrate thereof and a solvate thereof:




wherein one of  $R^1$  and  $R^2$  represents hydrogen atom and the other represents the formula  $-X-A$  wherein  $A$  represents hydrogen atom or an acyl group,  $X$  represents oxygen atom or  $NH$ ; one of  $R^3$  and  $R^4$  represents hydrogen atom and the other represents the following formula:



wherein  $Y$  represents a sulfonyl group or a carbonyl group,  $R^5$  represents a cyclic group which may be substituted,  $Z$  represents a single bond or a  $C_1$  to  $C_4$  alkylene

group which may be substituted, or when Z is substituted, said substituent may bind to R<sup>5</sup> to form a ring group, R<sup>6</sup> represents hydrogen atom or a C<sub>1</sub> to C<sub>6</sub> alkyl group which may be substituted, or R<sup>6</sup> may bind to Z or R<sup>5</sup> to form a cyclic group, provided that a compound represented by the following formula:



wherein each of A, Z, R<sup>5</sup> and R<sup>6</sup> has the same meaning as that defined above is excluded.

2. (Original) The medicament according to claim 1, wherein R<sup>5</sup> is an aromatic ring group which may be substituted.

3. (Currently Amended) The medicament according to claim 1 ~~any one of claims 1 or 2~~, wherein Z is a methylene group which may be substituted, or when Z is substituted, said substituent may bind to R<sup>5</sup> to form a ring group.

4. (Currently Amended) The medicament according to claim 1 ~~any one of claims 1 to 3~~, wherein Y is a sulfonyl group.

5. (Currently Amended) The medicament according to claim 1 ~~any one of claims 1 to 4~~, wherein  $R^1$  is a group represented by the formula -O-A wherein A represents hydrogen atom or an acyl group, and  $R^2$  is hydrogen atom.


6. (Currently Amended) The medicament according to claim 1 ~~any one of claims 1 to 5~~, wherein the cancer therapy based on the mode of action of DNA injury is carried out by an administration of an anticancer agent and/or radiation.

7. (Original) The medicament according to claim 6, wherein the anticancer agent is selected from the group consisting of bleomycin, adriamycin, cisplatin, cyclophosphamide, mitomycinC, and a derivative thereof.

8. (Currently Amended) The medicament according to claim 1 ~~any one of claims 1 to 7~~, which is a specific inhibitor of a protein kinase and/or an analogous enzyme thereof.

9. (Original) A medicament for reducing a side effect resulting from a cancer therapy based on a mode of action of DNA injury, which comprises as an active ingredient a compound represented by the general formula (I) and a pharmacologically acceptable salt thereof, and a hydrate thereof and a solvate thereof according to claim 1.

10. (Original) A compound represented by the general formula (I) or a pharmacologically acceptable salt thereof, or a hydrate thereof or a solvate thereof according to claim 1, provided that the following compound is excluded.



11. (Original) A compound selected from the group consisting of the following compounds or a pharmacologically acceptable salt thereof, or a hydrate thereof or a solvate thereof.

N-Benzyl-5-{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(2,6-Difluorobenzyl)-5-{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(2,4-Dichlorobenzyl)-5-{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(3-Nitrobenzyl)-5-{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(4-Nitrobenzyl)-5-{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(2-Methylbenzyl)-5-{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-[4-(tert-Butyl)benzyl]-5-{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-[2-(Trifluoromethyl)benzyl]-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-[4-(Trifluoromethyl)benzyl]-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-(3,4-Dihydroxybenzyl)-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-(2-Methoxybenzyl)-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-(3-Methoxybenzyl)-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-(2,3-Dimethoxybenzyl)-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-(3,5-Dimethoxybenzyl)-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-(3,4-Methylenedioxybenzyl)-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-(3-Aminobenzyl)-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-[4-(Dimethylamino)benzyl]-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-[4-(Methanesulfonyl)benzyl]-5-[[ (4-methylphenyl)sulfonyl]oxy} naphthalene-1-sulfonamide;

N-(1-Naphthylmethyl)-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-[(5-Methylfuran-2-yl)methyl]-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-[(Pyridin-2-yl)methyl]-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-[(Benzimidazol-2-yl)methyl]-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-Cyclohexylmethyl-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-Phenyl-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(2-Phenethyl)-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(1-Phenethyl)-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-Benzyl-N-methyl-5-{{[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-Benzyl-5-hydroxynaphthalene-1-sulfonamide;

N-(2,6-Difluorobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2,4-Dichlorobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(3-Nitrobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(4-Nitrobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2-Methylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-[4-(tert-Butyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;

N-[2-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;  
N-[4-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;  
N-(3,4-Dihydroxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-(2-Methoxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-(3-Methoxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-(2,3-Dimethoxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-(3,5-Dimethoxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-(3,4-Methylenedioxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-(3-Aminobenzyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-[4-(Dimethylamino)benzyl]-5-hydroxynaphthalene-1-sulfonamide;  
N-[4-(Methanesulfonyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;  
N-(1-Naphthylmethyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-[(5-Methylfuran-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;  
N-[(Pyridin-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;  
N-[(Benzimidazol-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;  
N-Cyclohexylmethyl-5-hydroxynaphthalene-1-sulfonamide;  
N-Phenyl-5-hydroxynaphthalene-1-sulfonamide;  
N-(2-Phenethyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-(1-Phenethyl)-5-hydroxynaphthalene-1-sulfonamide;  
N-Benzyl-N-methyl-5-hydroxynaphthalene-1-sulfonamide;  
5-Acetyloxy-N-benzyl-naphthalene-2-sulfonamide;  
5-Acetyloxy-N-(2,4-dichlorobenzyl)-naphthalene-2-sulfonamide;

5-Acetyloxy-N-(3-nitrobenzyl)naphthalene-2-sulfonamide;  
5-Acetyloxy-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;  
5-Acetyloxy-N-[4-(trifluoromethyl)benzyl]naphthalene-2-sulfonamide;  
5-Acetyloxy-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;  
5-Acetyloxy-N-(3-aminobenzyl)naphthalene-2-sulfonamide;  
5-Acetyloxy-N-(1-naphthylmethyl)naphthalene-2-sulfonamide;  
5-Acetyloxy-N-[(5-methylfuran-2-yl)methyl]naphthalene-2-sulfonamide;  
5-Acetyloxy-N-[(pyridin-2-yl)methyl]naphthalene-2-sulfonamide;  
5-Acetyloxy-N-(cyclohexylmethyl)naphthalene-2-sulfonamide;  
5-Acetyloxy-N-phenylnaphthalene-2-sulfonamide;  
5-Acetyloxy-N-(2-phenethyl)naphthalene-2-sulfonamide;  
5-Acetyloxy-N-(1-phenethyl)naphthalene-2-sulfonamide;  
5-Acetyloxy-N-benzyl-N-methylnaphthalene-2-sulfonamide;  
N-Benzyl-5-hydroxynaphthalene-2-sulfonamide;  
N-(2,4-Dichlorobenzyl)-5-hydroxynaphthalene-2-sulfonamide;  
N-(3-Nitrobenzyl)-5-hydroxynaphthalene-2-sulfonamide;  
N-[4-(tert-Butyl)benzyl]-5-hydroxynaphthalene-2-sulfonamide;  
N-[4-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-2-sulfonamide;  
N-(2,3-Dimethoxybenzyl)-5-hydroxynaphthalene-2-sulfonamide;  
N-(3-Aminobenzyl)-5-hydroxynaphthalene-2-sulfonamide;  
N-(1-Naphthylmethyl)-5-hydroxynaphthalene-2-sulfonamide;  
N-[(5-Methylfuran-2-yl)methyl]-5-hydroxynaphthalene-2-sulfonamide;



N-[(Pyridin-2-yl)methyl]-5-hydroxynaphthalene-2-sulfonamide;  
N-(Cyclohexylmethyl)-5-hydroxynaphthalene-2-sulfonamide;  
N-Phenyl-5-hydroxynaphthalene-2-sulfonamide;  
N-(2-Phenethyl)-5-hydroxynaphthalene-2-sulfonamide;  
N-(1-Phenethyl)-5-hydroxynaphthalene-2-sulfonamide;  
N-Benzyl-N-methyl-5-hydroxynaphthalene-2-sulfonamide;  
5-Acetylamino-N-benzyl-naphthalene-2-sulfonamide;  
5-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;  
5-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;  
5-Acetylamino-N-benzyl-N-methylnaphthalene-2-sulfonamide;  
5-Amino-N-benzyl-naphthalene-2-sulfonamide;  
5-Amino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;  
5-Amino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;  
5-Amino-N-benzyl-N-methylnaphthalene-2-sulfonamide;  
6-Acetylamino-N-benzyl-naphthalene-1-sulfonamide;  
6-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-1-sulfonamide;  
6-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-1-sulfonamide;  
6-Amino-N-benzyl-naphthalene-1-sulfonamide;  
6-Amino-N-[4-(tert-butyl)benzyl]naphthalene-1-sulfonamide;  
6-Amino-N-(2,3-dimethoxybenzyl)naphthalene-1-sulfonamide;  
6-Acetylamino-N-benzyl-naphthalene-2-sulfonamide;  
6-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;

6-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;

6-Amino-N-benzyl naphthalene-2-sulfonamide;

6-Amino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;

6-Amino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;

5-Amino-N-benzyl naphthalene-1-carboxamide;

5-Amino-N-[4-(tert-butyl)benzyl]naphthalene-1-carboxamide;

5-Amino-N-(2,3-dimethoxybenzyl)naphthalene-1-carboxamide.

12. (Currently Amended) A medicament which comprises as an active ingredient a substance selected from the group consisting of a compound and a pharmacologically acceptable salt thereof, and a hydrate thereof and a solvate thereof according to claim 10 or 11.

13. (Original) A medicament according to claim 12, which is used for enhancing an effect of a cancer therapy based on a mode of action of DNA injury.